

Prospekt Nr. 5 a

The right decision!



Vending carts
Transport systems
Loading ramps



Page	
3 – 12	Sales counter / sales displays
13 – 15	CC accessories
16 – 18	Sales counter for cut flowers
19 – 20	Shelves
21 – 24	Transport equipment
25 – 29	Sack barrow, handcarts for tree nurserie
30 – 31	Loading ramps
32	Lift cart
33	Plant service cart
34	Plant boxes, wreath holders and shovels
35	Wheels

Special Display Cart – Item No. 108 a, 108 b

These extremely sturdy and easy-to-move display carts are especially suited for outdoor selling. Frame of pressed steel sheet and square tube. Tiers are of square tube. A lever allows easy handling of shelves from inclined to horizontal position, even when fully loaded. Tiered stand ensures an optimal arrangement of displayed goods.

**Support Structure for
Awning (to fit. No. 108)
Item No. 100 c**

**Support Structure for
Awning (to fit No. 108 b)**



**Item No. 108 b inclined position
equipped with awning**



**Item No. 108 b horizontal
position**

Item No.	108 a	108 b
3 tiers	stepped zinc-plated	stepped zinc-plated
Length:	2060 mm	1700 mm
Width:	720 mm	630 mm
Width of tiers		
bottom :	720 mm	630 mm
middle:	620 mm	420 mm
top .	420 mm	320 mm
height:	1360 mm	1360 mm
Casters:	160 mm	160 mm
Solid rubber casters (2 are locking, 1 locks one direction)		



Item No. 108 a

Special Display Carts Item No. 107 a and 107 b



Item No. 107 a / inclined tiers



Item No.	107 a	107 b
2 tiers	stepped zinc-plated	stepped zinc-plated
Length:	2060 mm	1700 mm
Width:	720 mm	630 mm
Width of tiers		
Bottom:	720 mm	620 mm
Top:	450 mm	420 mm
Height:	900 mm	900 mm
Casters:	160 mm	160 mm

4 caster, 2 with brake, 1 locks in one direction

**All – purpose Aluminium Cart –
Item No 209****Handling and Display Cart**

With durable aluminium trays.
Top and bottom tier fixed,
3 optional middle shelves

Support structure for awning
(fits Item No. 209)
Item No. 100 d

**Handling cart****doubles as****Display stand**

Dimensions L.: 1370 mm, W.: 570 mm, H.: 1670 mm
Casters: 125 mm, swivel casters (2 with locking brake)

tilt able with one shift of the lever
(inclined position) W.: 1240mm, H.: 1580 mm

Universal Aluminium Carts, 4 steps – Item No. 210**Item No. 210 – level 1**

Length : 1420 mm
Depth : 570 mm
Height : 1440 mm

**Item No. 210 – level 2**

Length: 1420 mm
Depth: 1370 mm
Height : 1440 mm

**Item No. 210 – level 3**

Length : 1420 mm
Depth : 1600 mm

Height : 1200 mm

**Item No 210 – level 4**

length : 1420 mm
Depth : 1750 mm

Height: 980 mm

Alternativ:
Auch in Breite 620 mm
lieferbar! (Art. Nr. 210a)

Universal Aluminium Carts, 4 steps – Item No. 210

Featuring high-quality aluminium trays.
This display cart is extremely versatile and doubles as tier cart, handling cart, display cart and stepped table.
An ideal choice for market stands and direct sellers.
No reloading after shipping.

Main features:

- *Lightweight
- *Easy adjustment by simple operation
- *Large display surface
- *Optimal presentation
- *Maintenance-free
- *Tier designed as durable watertight aluminium tray

Alternative :

Low-cost plastic tray
All tiers water outlet


Casters: 125 mm

2 swivel caster with brake

2 fixed casters Awning 1 colours available:

Item No. 100 e

Support structure for awning (fits Item No. 210)



Awning fabrics and colours may differ slightly on suppliers.

Display cart – Item No. 119

Display cart – Item No. 119

The know-down stands are designed to the push-in system. Tiers can be adjusted as required and rearranged in a tilted or horizontal position even when fully loaded.

The hooks are arranged in 150 mm increments these carts are ideal for the display of flowers, plants, fruit and vegetables.

All display stands come with 4 solid swivel casters

(2 with locking device,
1 locks in on direction)

Display Cart Item No. 119 is available with flat-steel tiers, tiers for buckets or vases and watertight trays.

There are also planting tubs available for these articles (see ill. Bottom right)



Item No. 119/2

with tier for vases



Item No. 119/2

with tier for buckets



Item No. 119/2

with planting tub

Display Cart Item. No 119



Item No. 119/2 – watertight trays

Item No. 119/2

Length: 1700 mm

Width: 450 mm

Height: 880 mm

Casters: 125 mm



Item No. 119/3 – Flat steel tiers

Item No. 119/3

Length: 1700 mm

Width: 450 mm

Height: 1350 mm

Casters: 125 mm



Item No. 119/4 – watertight with awning

Item No. 119/4

Length: 1700 mm


Width: 450 mm

Height: 1620 mm

Casters: 125 mm

Awning fabrics and
colours

May differ slightly
depending on suppliers



Item No. 119/4 colour

Display Cart – Item No. 120

The display Carts Item No. 119 and 120 are available with flat-steel tiers, tiers for buckets or vases and watertight trays. There are also planting tubs available

Item Nr. 120/4**Length:** 1300 mm**Width:** 450 mm**Height:** 1620 mm**Casters:** 125 mm

Awning Support Structure

(Fits No. 120)

Item No. 100 a

**Item No 120/3**

L.: 1300 mm, W.: 450 mm, H.: 1350 mm

**Item No. 120/2**

L.: 1300mm, W.: 450 mm, H.: 880 mm

Display Carts Item No. 118



Item No. 118/3

Item No. 118/1

Length: 1700 mm

Width: 580 mm

Height: 620 mm

Casters: 160 mm

Item No. 118/2

Length: 1700 mm

Width: 580 mm

Height: 1160 mm

Casters: 160 mm

Item No. 118/3

Length: 1700 mm

Width: 580 mm

Height: 1630 mm

Casters: 160 mm

Casters consisting of 4 swivel casters
(2 with brake, 1 locks in one direction)



Item No. 118/2

**Support Structure for Awning
(Fits Item No. 118)**

Item No. 100 b



Item No. 118/1

Display Cart, Item No. 117

Display Cart, Item No. 117

The display carts are manufactured to the push-in system and can be completely knocked down.

Extremely sturdy tubular frame construction with open-grid or plate-type tiers.

Tiers can be arranged in 150 mm increments.

These display stands are especially suited for flowers, plants, fruit and vegetables.

4 solid rubber casters
(2 with locking casters,
1 locks in one direction)



Item No. 117/3

Item No. 117/3

Length: 2060 mm

Depth: 580 mm

Height: 1630 mm

Item No. 117/2 (no picture)

Length: 2060 mm

Depth: 580 mm

Height: 1160 mm



Item No. 117/1

Item No. 117/1

Length: 2060 mm

Depth: 580 mm

Height: 620 mm

CC and DC Container



These accessories make your CC Container an attractive display stand



Item. No. 1 CC
Awning
Fixed device and
rods zinc-plated.
cloth dralon



Item No, 5 CC
attached to
side for 2x10l
zinc-plated buckets



Item No. 2 CC
Removable pan-type
for CC tiers
of grey plastics



Item No. 6 CC
Vase holder
hang on CC post,
zinc-plated
L.: 150 mm
L.. 100 mm



Item No. 3 CC
Tier extension
over the complete
width of the
container (removable)
Depth 280 mm
zinc-plated-
available with and
without cover



Item No. 7 CC
Holder for hanging
flowerpots
for 2 flowerpots
to fix in corner pots



Item No. 4 CC
Axle or CC Containers

These accessories make your CC Container an attractive display stand



Item No. DC Container
Bottom shelf +
3 tiers
L.: 1350 mm
W.: 565 mm
H.: 1900 mm
Casters 125 mm
2 swivel casters
2 fixed casters



Item No. 10 CC
Tier with ring-type
holders
a. 10 litre buckets
b. 5 litre buckets
c. vases




Item No. 8 CC
Planting tray
150 mm rim



Item No. 11 CC
Open-greed tier
for hanging
flowerpots,
galvanized



Item No. 9 CC
Open-grid back wall
galvanized,
for flower boxes



Item No. 12 CC-3
picture holder
DIN A 3 size

Item No. 12 CC-4
picture holder
DIN A 4 size
galvanized, push-in

Display Cart Item No. 113

Display cart Item No. 113

Rugged galvanised
2-tieres display cart
Both tiers can be tilted
and adjusted to
a horizontal position

Great choice of tiers:

- * tiers with ring holders for 10 l buckets
- * tiers with ring holders for 5 l buckets
- * tiers with ring holders for vases
- * plate-type tier with stop
- * watertight pan-type tray
- * with or without water outlet

Casters: 4 x 125 mm swivel
(2 with locking brake)

Dimensions: L.: 1460 mm
W.: 675 mm
H.: 860 mm

Item No. 113 K

Not picture

Dimensions : L.: 930 mm
W.: 675 mm
H.: 860 mm

**When ordering
state the tier
design required!**



Item No. 113 Tiers for vases/buckets



Item No. 113 Tiers for vases / watertight plate

Display Stand for Cut Flowers Item No. 110**Display Stand for Cut Flowers****Holds**

8 x 10 l buckets or

5 x 10 l buckets

Item No. 110 / 8

Length: 1600 mm

Width: 680 mm

Height: 980 mm

**Item No. 110 / 8****Item No. 110 / 5**

Mobile stand

for 5 x 10 l buckets

Length: 920 mm

Width: 680 mm

Height: 980 mm

Casters 4 x 100 mm swivel casters

(2 have brake)

**Item No. 110 / 5**

Stepped Construction Item No. 114 For the display of cut flowers

Item No. 114

Step construction

Well arranged in 3 steps
useful arrangement of steps
optimal Use even of small units

1. Step for square vases
2. Step for square vases
3. Step for 10 l buckets

Casters: 125 mm, 4 swivel casters
2 with locking brake.



Item No. 114

Dimensions:

Length: 1020 mm
Width: 780 mm
Height: 690 mm

Item No. 112

Roll-type Stand

Power-coated or galvanised
4 swivel casters, one with brake

Dimensions:

Length: 870 mm
Width: 550 mm
Height: 1130 mm

Casters 125 mm



Item No. 112

Shelf system

With the economically sophisticated chrome shelf,
economical and high quality
Spatial concepts can be realized.




A variety of conductor height makes the system excellent for using of spaces.
It can be put together combinations of different heights.
Floors are replaceable and can be used in combination within shelving.

Shelf ledders/side

Shelf ledders

D: 33 cm



Shelf system /Floors



Grid floor 330 mm

chrome plated

300 x 330 mm

Item No. 2321

600 x 330 mm

Item No. 2320

930 x 330 mm

Item No. 2319



Perforated floor 330 mm

mit Frontprofil und Auflagerahmen

300 x 330 mm

Item No. 2498

600 x 330 mm

Item No. 2499

930 x 330 mm

Item No. 2500



Wooden floor 330 mm

300 x 330 mm

Item No. 2327

600 x 330 mm

Item No. 2326

930 x 330 mm

Item No. 2325



Glass floor 330 mm

300 x 330 mm

Item No. 2324

600 x 330 mm

Item No. 2323

930 x 330 mm

Item No. 2322



Watertight aluminium tray 330 mm

300 x 330 mm

Item No. 2351

600 x 330 mm

Item No. 2350

930 x 330 mm

Item No. 2352



Holders for vases 330 mm

300 x 330 mm 2 Vases

Item No. 2361

600 x 330 mm 3 Vases

Item No. 2360

930 x 330 mm 4 Vases

Item No. 2362

Shelf system / Accessories


Deko Top

■ 2316




■ 33 x Ø 3,2 cm BEECH

■ 2317



■ 33 x Ø 3,2 cm CHROME

■ 56 x 33 cm



■ 2389

connection

■ 2394
chromed



wall fixing set

■ 2345
chromed



Safety clip set

■ 2398
chromed



Handling and Display Cart Item No. 104 and 204



Galvanised steel or aluminium
Standard design:
Bottom shelf + 3 tiers (see ill.)
additional tiers available



Casters 160 mm with brake

Ideal handling and display cart for horticulture and the flower trade, galvanised or aluminium. Best suited as mobile containers for shipping by truck, markets as well as for the flowers and plant trade. Height-adjustable and tilting zinc-plated sheet-metal tiers. Tiers adjust in 10 cm increments.

Aluminium design

The lightweight, rust sturdy cart is made of thick-walled aluminium square tube.

Galvanised steel

Item No.	104	104 a	104 b
Length:	1320 mm	1000 mm	1700 mm
Width:	640 mm	640 mm	640 mm
Height:	1720 mm	1720 mm	1720 mm

Aluminium

Item No.	204	204 a	204 b
Length:	1320 mm	1000 mm	1700 mm
Width:	645 mm	645 mm	645 mm
Height:	1720 mm	1720 mm	1720 mm

Casters: 125 mm, 2 fixed, 2 swivel casters
Standard Casters 125 mm, other sizes available:
160 mm solid rubber
200 mm solid rubber
200 mm pneumatic tyres

Equipment for truck shipping:
4 swivel casters, 3 with locking device
1 locks in one direction
Wheels size as required.

Handling cart Item No. 116



Item No. 116 K-3 tiers

The ideal in-plant materials handling cart. Easy to manoeuvre, smooth running and seesaw effect. Shelves of plate or flat steel tiers, height adjustable in 12,5 cm increments all galvanised. Capacity 300 kg



Item No. 116 also available
With flat-steel tiers



	116 K		
Length:	1900 mm	1700 mm	1400 mm
Width:	500 mm	640 mm	500 mm
Total height:			
4-tiered:	1730 mm	1730 mm	1730 mm
3-tiered:	1400 mm	1400 mm	1400 mm
2-tiered:	950 mm	950 mm	950 mm
Spacing of Hooks	125 mm	125 mm	125 mm
Wheels:			
2 pneumatic	260 mm	260 mm	260 mm
2 solid rubber with brakes:	125 mm	125 mm	125 mm



Item No. 116 B – 4 tiers

Handling Cart, Item No. 140

Handling Cart, Item No. 140

For in-plant materials handling.
Sturdy galvanised tubular steel construction
With support leg and back panel (removable).
Wheels: 2 pneumatic wheels 400 mm
Deck size

Item No.	140 a	1 40 b	140 c
Length:	1640 mm	1640 mm	1880 mm
Width:	500 mm	700 mm	880 mm

Accessory:

Removable tier of galvanised steel



Item No. 140 C

All handling carts are also available
with closed shelves, with wooden top
With aluminium diamond pattern plate



Item No. 140 C

with diamond pattern plate top



Item Nr. 140 b



Wheel 400 mm



Item No. 140 c with removable tier

Container-type Push Cart, Item No. 140 D

Sturdy galvanised tubular steel frame, container made of sturdy black Plastics (polyethylene).
Thick-walled, impact-resistant, tilting.
Tray edge is reinforced with tubular steel.

Casters: 400 mm pneumatic wheels

Capacity: 180 l liquid material
360 l Bulk material



Item No. 140 D

Push Cart, Item No. 85 F und 95 F

Sturdy barrow with hot galvanized bowl.
Bowl specially reinforced by tubular liner,
seamless and drawn in one piece.
Very rigid chassis.

Item No. 85 F	Item No. 95 F	
250 kg	300 kg	Capacity
85 l	95 l	Volume
20 kg	21 kg	Weight
400 mm Ø	400 mm Ø	Wheels
		– ball bearings –



Item No. 85 F / 95 F

Flatbed hand truck



Size and price on request

**Hand truck for handling
Transplanting boxes+
Item No. 50 P**

Sturdy galvanised construction
With removable cradles

Height: 1420 mm
Width: 320 mm frame width
520 mm outside width incl wheels
Wheels: 260 mm pneumatic casters-
lug profiled-steel rims

Also available with one wheel
Or wheels placed inside

Accessories: 50 P/B single cradles



**Nursery Hand truck,
Item No. 51**

Galvanised steel construction,
sturdy base plate

Depth: 500 mm
Width: 550 mm
Total width: 750 mm
Height: 1500 mm

Pneumatic wheels 400 mm

Capacity: 500 kg

Accessories: Item No. 51 / B
Holding cradles are adjustable to 2 heights.



KANO - Our experience is the best of your success

Hand truck with and without skids

Welded frame made of high-strength special aluminum alloy, no rust, safety handles, pneumatic wheels 260 x 85 mm, with precision ball bearings, universal application – especially when it comes to low weight.



Item No. A 1325 L

Very low weight –
nevertheless 200 kg
capacity !



Item No. A 1326 L

**More stack
and sack
trucks on
request**



Item No. A 1330 L



Item No. A 1331 L

	Item.-No.	Capacity kg	Height mm	Vane length mm	Vane width mm	Width mm	Pneumatic wheels mm	Weight kg
Aluminium Hand Trucks	A 1325 L	200	1300	250	320	570	260 x 85	8
	A 1326 L	200	1300	300	480	570	260 x 85	9
	A 1330 L	200	1300	250	320	570	260 x 85	9
	A 1331 L	200	1300	300	480	570	260 x 85	10
Handle	1762	–	–	–	–	–	–	–
Plastic skids	1753	–	–	–	–	–	–	–

Roller package



Item No. 1730



Item No. 1732



Item No. 1735

Item No.	Capacity kg	Height mm	Vane lenght mm	Vane width mm	Width mm	Pneumatic wheels mm		Weight kg
1730	50	1030	300	385	390	127 x 30	–	3,2
1732	125	1090	320	480	488	170 x 35	–	5,2
1735	250	1190	450	595	660	–	220 x 70	12,6

Sack and box truck



Item No. A 1115 L



Item No. A 1116 L



Item No. A 1125 L

Item No.	Capacity kg	Height mm	Vane lenght mm	Vane width mm	Width mm	Pneumatic wheels mm	Weight kg
A 1115 L	150	1150	150	400	570	260 x 85	8
A 1116 L	150	1150	300	480	570	260 x 85	9
A 1125 L	150	1150	250	320	570	260 x 85	7

Sack and box trucks



Item No. B 1115 L



Item No. B 1116 L



Item No. K 1116 | K 1116 L



Item No. B 1327 L




Item No. A 1328 L



Item No. K 1330 | K 1330 L

	Item No.	Capacity kg	Height mm	Vane lenght mm	Vane width mm	Width mm	Solid rubber wheels mm	Pneumatic mm	Weight kg
Steel tube tracks	B 1115 L	250	1150	150	400	590	–	260 x 85	12
	B 1116 L	250	1150	300	480	590	–	260 x 85	15
	K 1116	250	1150	150/500	400/330	620	250 x 60	–	17
	K 1116 L	250	1150	150/500	400/330	620	–	260 x 85	14,5
	B 1327 L	300	1600	250	320	580	–	260 x 85	15
	B 1328 L	300	1600	300	480	580	–	260 x 85	17
	K 1330	300	1300	500	250	580	250 x 60	–	18
	K 1330 L	300	1300	500	250	580	–	260 x 85	15,5

Hand truck with and without skids



Item No. B 1330 L

Very sturdy tubular steel-welded construction, impact- and scratch-resistant surface thanks to high-quality powder coating, safety handles, easy rolling wheels with roller bearings, universal.

Tyres:

Pneumatic wheels 260 x 85 mm



Item No. B 1331 L



Item No. B 1325 L



Item No. B 1326 L



Handle



Plastic skids

Item No.	Capacity kg	Height mm	Vane length mm	Vane width mm	Width mm	Solid rubber wheels mm	Pneumatic mm	Weight kg
B 1330 L	300	1300	250	320	580	–	260 x 85	15
B 1331 L	300	1300	300	480	580	–	260 x 85	17
B 1325 L	300	1300	250	320	580	–	260 x 85	14
B 1326 L	300	1300	300	480	580	–	260 x 85	16

Type ABS

These loading ramps, made of extruded aluminium profile, offer an ideal balance between weight and strength.

With an internal width of 150 mm, they are ideally suited for loading motorbikes, high pressure cleaners, generators, etc.

Due to their profile, the ramps can be nested for easy and space-saving transport.

They are also available as foldable ramps.



Length (mm)	Internal width (mm)	Width (mm)	Loading height H (mm)		Loading capacity (kp/Pair)	Weight (kg/Stück)	Type	Order number
			15%	30%				
1000	150	235	150	300	400	5	ABS 04	082.00.004
1500	150	235	225	450	400	6	ABS 05	082.00.005
2000	150	235	300	600	400	8	ABS 01	082.00.001
2500	150	235	375	750	350	10	ABS 02	082.00.002
3000	150	235	450	900	300	12	ABS 03	082.00.003


other dimensions available on request

Dock levellers – loading capacity up to 1200 daN (kp)

Length L (mm)	Width (mm)	Loading height H (mm)		Loading capacity (kp)	Weight (kg)	Type	Order number
		min	max				
750	1250	0	+ 100	600	20	AWB 508	307.00.000
1000		+ 50	+ 125		26	AWB 510	307.00.001
1200		+ 60	+ 150		30	AWB 512	307.00.002
1500		+ 80	+ 190		40	AWB 515	307.00.003
1800		+ 100	+ 225		47	AWB 518	307.00.004
750		+ 50	+ 100	1200	24	AWB 1008	307.00.005
1000		+ 50	+ 125		30	AWB 1010	307.00.006
1200		+ 60	+ 150		37	AWB 1012	307.00.007
1500		+ 80	+ 190		47	AWB 1015	307.00.008
1800		+ 100	+ 225		57	AWB 1018	307.00.009

other dimensions available on request

Type AOS




Lenght L (mm)	Width B (mm)	Height E (mm)	Loading height H (mm)		Loading capacity (kp/Pair)	Weight (kg/Stück)	Type	Order number
			15%	30%				
1500	200 (+15)	60	225	450	700	7	AOS 200	081.01.008
2000			300	600	500	8		081.01.009
2500			375	750	400	9		081.01.010
3000			450	900	300	11		081.01.011
1500	300 (+15)	60	225	450	1000	10	AOS 300	081.01.020
2000			300	600	800	12		081.01.021
2500			375	750	600	14		081.01.022
3000			450	900	500	16		081.01.023
3500			525	1050	400	18		081.01.024
1500	300 (+15)	70	225	450	1700	14	AOS 300	081.01.026
2000			300	600	1500	17		081.01.027
2500			375	750	1300	21		081.01.028
3000			450	900	1100	25		081.01.029
3500			525	1050	900	29		081.01.030
4000			600	1200	800	32		081.01.031
1500	400 (+15)	60	225	450	1400	13	AOS 400	081.01.035
2000			300	600	1000	16		081.01.036
2500			375	750	800	19		081.01.037
3000			450	900	600	22		081.01.038
3500			525	1050	550	25		081.01.039
1500	400 (+15)	70	225	450	2000	17	AOS 400	081.01.041
2000			300	600	1800	21		081.01.042
2500			375	750	1600	26		081.01.043
3000			450	900	1400	30		081.01.044
3500			525	1050	1300	35		081.01.045
4000			600	1200	1200	39		081.01.046

Lenght L (mm)	Width B (mm)	Height E (mm)	Loading height H (mm)		Loading capacity (kp/Pair)	Weight (kg/Stück)	Type	Order number
			15%	30%				
1500	600 (+15)	60	225	450	1100	19	AOS 600	081.01.047
2000			300	600	800	23		081.01.048
2000	600 (+15)	70	300	600	1050	31	AOS 600	081.01.050
2500			375	750	950	38		081.01.051
3000			450	900	850	44		081.01.052
1500	800 (+15)	70	225	450	1200	32	AOS 800	081.01.053
2000			300	600	1100	41		081.01.054
2500			375	750	1000	50		081.01.055
3000			450	900	900	59		081.01.056

other dimensions available on request

Elevating truck platform



Order No.	Model	Load bearing capacity	Casters	Wheels	Weight	Fork length
F 01703	20 S2	2000 kg	2 x N	rubber	63 kg	1150 mm
F 01707	20 S4	2000 kg	4 x N	rubber	67 kg	1150 mm
F 01308	25 S2	2000 kg	2 x P	rubber	63 kg	1150 mm
F 01310	25 S4	2500 kg	4 x P	rubber	68 kg	1150 mm
F 01311	25 S2	2500 kg	2 x P	rubber	54 kg	800 mm
F 01312	25 S4	2500 kg	4 x P	rubber	58 kg	800 mm
F 01325	25 S2	2500 kg	2 x P	rubber	57 kg	950 mm
F 01335	25 S4	2500 kg	4 x N	rubber	61 kg	950 mm
F 01740	20 S4	2000 kg	4 x N	rubber	87 kg	1350 mm
F 01741	16 S4	1600 kg	4 x N	rubber	93 kg	1500 mm
F 01742	14 S4	1400 kg	4 x N	rubber	105 kg	1800 mm
F 01742	12 S4	1200 kg	4 x N	rubber	109 kg	2000 mm

Plant service cart

Item No. 96

Construction:

Sturdy all-aluminium construction.
Watertight counter with water outlet,
for cleaning products.
Separate tray with outlet for watering can
Holder for planting stakes.
Receptacle for pliers, scissors and knives.

Dimensions:

Length: 1000 mm
Width: 570 mm
Height: 1300 mm

Container: 150 liter – removable
Wheels: Ø 150 mm, 4 swivel casters
Accessory: sheets metal covering –
suitable as advertising space

This cart be customized according to your needs and specifications, for example with 100 l or 200 l container. Wheels as required.



Handcart for grave care

Item No. 97

Construction:

Sturdy all-aluminium construction.
Plastic lay-in container – 90 liter.
Base bottom aluminium container.
Receptacle for gardening tools.

Dimensions:

Length: 1300 mm
Width: 600 mm
Height: 1000 mm

Dimension of plastic container:

L x W x H
720 x 420 x 300 mm

Wheels: 200 mm, 2 fixed casters, 2 swivel casters
with brakes



Accessories



Item No. 360
Round-point shovel,



Item No. 305
Square-point shovel,
stainless steel,



Item No. 11g **Wreath stand Height 120 mm**
Item No. 11k Wreath stand Height 910 mm

Flower boxes and tubs of diamond-pattern aluminium sheet



All sizes available for all flower boxes and tubs

Accessory:
sheet-metal insert

Selection of our versatile wheel assortment



Pneumatic wheel with steel-plate wheel rim, zinc-plated or enamelled
Item No. R 400

Capacity 250 kg, wheel ø 400 mm, axle ø 25 mm



Pneumatic wheel with steel-plate wheel rim, zinc-plated
Item No. R 260

Capacity 200 kg, wheel ø 260 mm, axle ø 20 mm



Solid rubber wheel with steel-plate wheel rim
Item No. R 160

Fixed castor, swivel castor with brake, swivel castor locking in one direction
(also available with ø 125 mm and 200 mm)



Rubber wheel with steel-plate wheel rim (without tracking)
Item No. R 125

Swivel castor, swivel castor with brake, swivel castor locking in one direction



Special soft-rubber tyres
Item No. R 150

Fixed castor, swivel castor, swivel castor locking in one direction



Transport systems

Please ask for our additional brochures

KANO Table systems



KANO Shopping cart system



KANO Transportgeräte GmbH

Ziegeleistraße 13

D-64560 Riedstadt-Erfelden

Tel.: +49 (0) 61 58 918 36-0

Fax: +49 (0) 61 58 918 36-20

Internet: www.kano-transportgeraete.de

E-Mail: mail@kano-transportgeraete.de

Representation in Switzerland:

gvz-rossat ag/sa

Industriestrasse 10

CH-8112 Otelfingen

Tel.: +41 (0) 44 271 22 11

Fax: +41 (0) 44 271 76 73

www.gvz-rossat.ch

info@gvz-rossat.ch

Representation in Norway:

L.O.G AS

Broekkveien 104 B

0582 Oslo

Phon +47 815 20 100

Faks +47 815 20 101

www.log.no

firmapost@log.no

